

Supplementary Material for A Hierarchical Transformation-Discriminating Generative Model for Few Shot Anomaly Detection

Shelly Sheynin¹ Sagie Benaim¹ Lior Wolf^{1,2}

¹The School of Computer Science, Tel Aviv University

²Facebook AI Research

1. Transformations

As discussed in Sec. 3.1 of the main text, due to memory constraints, we use a subset of $M = 54$ transformations. Let $T_{rgb2gray}$ be the transformation of an image from RGB to grayscale. T_{flip}^1 is a horizontal flip and T_{flip}^0 is the identity transformation. $T_{translate_x}^b$ is the horizontal translation along the x-axis by 15% of the image width, to the left ($b = 1$) or to the right ($b = -1$). $b = 0$ is the identity translation. $T_{translate_y}^c$ is the vertical translation along the y-axis by 15% of the image height, upwards ($c = 1$) or downwards ($c = -1$). $c = 0$ is the identity translation. T_{rotate}^d stands for the rotation by d degrees, where $d \in \{0, 90, 180, 270\}$.

T_1, \dots, T_{32} : $T_{flip}^a \circ T_{translate_x}^b \circ T_{translate_y}^c \circ T_{rotate}^d$ where $a \in \{0, 1\}$, $b \in \{0, 1\}$, $c \in \{0, 1\}$ and $d \in \{0, 90, 180, 270\}$.

T_{33}, \dots, T_{38} : $T_{flip}^a \circ T_{translate_x}^b \circ T_{translate_y}^c$, where $a \in \{0, 1\}$, $b \in \{-1, 1, 0\}$ and $c = -1$.

T_{39}, \dots, T_{42} : $T_{flip}^a \circ T_{translate_x}^b \circ T_{translate_y}^c$, where $a \in \{0, 1\}$, $b = -1$ and $c \in \{0, 1\}$.

T_{43}, \dots, T_{50} : $T_{rgb2gray} \circ T_{flip}^a \circ T_{rotate}^d$, where $a \in \{0, 1\}$ and $d \in \{0, 90, 180, 270\}$.

T_{51}, T_{52} : $T_{rgb2gray} \circ T_{translate_x}^b$ where $b \in \{-1, 1\}$.

T_{53}, T_{54} : $T_{rgb2gray} \circ T_{translate_y}^c$ where $c \in \{-1, 1\}$.

2. Detailed Per-Class Results

In Sec. 4 of the main text, for the task of anomaly detection and defect detection, we report mean AUC values and mean standard deviation values, over all classes. Detailed per-class results are provided here.

In particular, full anomaly detection results for the datasets of Paris, CIFAR10, FashionMNIST and MNIST are given in Tab. 1 (one-shot), Tab. 2 (five-shot) and Tab. 3 (ten-shot). This supplements Fig. 2 of the main text. 50-shot and 80-shot results for CIFAR10 are given in Tab. 4. Together with tables 1-3, this supplements Fig. 4 of the main text.

Tab. 5 gives the full defect detection results on MVTec for one-shot, five-shot and ten-shot settings, supplementing Fig. 5 of the main text.

Tab. 6, gives the ablation analysis performed on CIFAR10, for both the one-shot and five-shot settings, supplementing Tab. 1 and discussed in Sec. 4.3 of the main text.

Lastly, Tab. 7, shows the effect of using a different percentage of patches for defect detection, supplementing Fig. 7 and discussed in Sec. 4.3 of the main text.

Class	PatchSVDD	DROCC	DeepSVDD	GEOM	GOAD	Ours
PARIS						
Defense	57.0 ± 3.5	53.2 ± 8.0	50.1 ± 5.0	59.4 ± 3.1	47.8 ± 5.9	65.6 ± 9.9
Eiffel	46.2 ± 6.2	53.3 ± 7.9	45.8 ± 6.7	46.9 ± 6.0	54.6 ± 3.3	57.8 ± 4.5
Invalides	46.0 ± 8.2	52.3 ± 5.1	50.3 ± 6.4	56.1 ± 2.9	52.9 ± 3.8	71.0 ± 6.4
Louvre	47.3 ± 5.5	57.5 ± 3.3	50.1 ± 3.0	53.7 ± 4.5	52.6 ± 3.1	61.7 ± 7.2
Moulinrouge	60.4 ± 10.2	43.7 ± 6.4	64.6 ± 2.1	9.4 ± 7.6	51.6 ± 5.9	72.8 ± 6.8
Museedorsay	55.7 ± 8.0	42.3 ± 3.7	85.9 ± 1.9	85.1 ± 2.7	49.3 ± 16.8	73.1 ± 10.2
Notredame	52.3 ± 4.8	46.9 ± 4.6	58.5 ± 3.1	52.2 ± 5.1	49.8 ± 5.7	66.0 ± 9.4
Pantheon	62.8 ± 3.7	44.2 ± 6.6	54.8 ± 12.0	58.5 ± 7.8	49.9 ± 5.6	73.8 ± 8.8
Pompidou	56.7 ± 10.2	47.8 ± 8.9	65.5 ± 3.6	65.3 ± 8.1	49 ± 7.8	68.3 ± 9.4
Sacrecoeur	55.1 ± 7.9	51.8 ± 8.4	52.1 ± 4.3	48.4 ± 6.7	52 ± 3.5	61.6 ± 8.5
Triomphe	57.5 ± 3.8	44.2 ± 5.9	59.2 ± 5.4	48.9 ± 5.6	49 ± 5.7	60.8 ± 5.5
Avg	54.3 ± 6.5	48.8 ± 6.2	57.9 ± 4.9	56.7 ± 5.5	50.8 ± 6.1	66.6 ± 7.9
CIFAR10						
Plane	50.1 ± 15.8	54.9 ± 9.3	29.8 ± 5.5	49.5 ± 11.1	59.8 ± 8.3	67.2 ± 5.8
Car	51.4 ± 6.3	35.2 ± 7.4	81.0 ± 13.5	53.3 ± 5.7	58.2 ± 5.8	65.6 ± 5.9
Bird	46.5 ± 8.6	59.5 ± 3.7	50.4 ± 22.4	54.7 ± 6.6	53.1 ± 9.1	55.9 ± 5.7
Cat	48.9 ± 6.1	52.3 ± 5.5	58.8 ± 12.7	53.2 ± 4.4	46.4 ± 8.2	58.9 ± 6.2
Deer	46.5 ± 10.7	65.7 ± 5.9	56.4 ± 10.6	67.3 ± 6.4	55.9 ± 10.7	67.2 ± 4.5
Dog	54.4 ± 6.3	52.7 ± 8.1	22.8 ± 2.0	50.9 ± 2.7	53.7 ± 6.0	63.7 ± 7.7
Frog	53.4 ± 17.4	53.1 ± 6.8	60.2 ± 15.9	60.7 ± 8.6	53.6 ± 9.9	70.2 ± 5.1
Horse	52.7 ± 5.1	43.5 ± 6.1	78.6 ± 13.1	56.0 ± 4.6	54.8 ± 7.6	63.8 ± 5.2
Ship	55.6 ± 13.5	57.3 ± 9.0	70.8 ± 7.9	68.1 ± 10.4	67.4 ± 6.4	71.3 ± 7.2
Truck	60.8 ± 8.1	33.6 ± 5.2	69.8 ± 6.6	57.2 ± 12.0	61.1 ± 5.5	65.3 ± 5.2
Avg	52.0 ± 9.8	50.8 ± 6.7	57.9 ± 11.0	57.1 ± 7.3	56.4 ± 7.8	64.9 ± 5.9
MNIST						
0	46.6 ± 19.4	63.4 ± 14.1	78.6 ± 12.7	73.1 ± 5.9	77.2 ± 9.1	75.2 ± 5.8
1	82.5 ± 18.1	81.6 ± 5.6	69.8 ± 7.9	88.7 ± 5.0	80.2 ± 18.3	79.2 ± 6.9
2	56.0 ± 6.3	43.0 ± 9.2	67.0 ± 7.9	60.9 ± 14.4	72.5 ± 4.4	74.3 ± 3.4
3	63.1 ± 1.7	54.3 ± 8.7	61.8 ± 29.4	77.0 ± 3.2	80.7 ± 6.9	94.3 ± 4.8
4	53.6 ± 8.4	59.1 ± 10.4	63.2 ± 5.1	66.9 ± 8.4	63.8 ± 5.9	81.6 ± 7.6
5	60.2 ± 6.6	61.9 ± 9.5	65.2 ± 4.0	72.1 ± 8.3	54.5 ± 12.8	80.3 ± 7.2
6	59.0 ± 11.7	65.5 ± 6.7	78.2 ± 4.9	66.2 ± 20.2	70.2 ± 4.2	85.7 ± 3.4
7	49.2 ± 14.0	70.1 ± 12.0	70.2 ± 3.2	69.5 ± 8.9	66.4 ± 10.3	76.9 ± 4.0
8	53.7 ± 15.6	57.5 ± 7.4	72.4 ± 3.7	56.2 ± 2.1	71.7 ± 4.7	71.5 ± 6.2
9	56.3 ± 8.9	70.3 ± 7.2	61.8 ± 9.0	67.6 ± 4.3	59.8 ± 5.1	73.5 ± 6.4
Avg	58.0 ± 11.1	62.7 ± 9.1	68.8 ± 8.8	69.8 ± 8.1	69.7 ± 8.2	79.3 ± 5.6
FashionMNIST						
T-shirt	58.5 ± 5.6	69.7 ± 8.1	83.5 ± 6.9	79.7 ± 2.9	71.8 ± 14.1	77.3 ± 4.3
Trouser	32.0 ± 18.6	95.2 ± 1.7	63.5 ± 9.2	55.5 ± 4.3	76.0 ± 3.7	97.2 ± 1.4
Pullover	73.7 ± 8.7	68.0 ± 8.9	66.7 ± 7.3	56.9 ± 12.1	69.1 ± 5.6	80.3 ± 4.2
Dress	43.0 ± 9.8	80.9 ± 6.6	63.1 ± 16.3	72.5 ± 10.5	76.9 ± 13.1	83.8 ± 4.0
Coat	73.3 ± 4.9	63.5 ± 15.1	63.6 ± 12.0	52.2 ± 16.1	66.2 ± 18.8	79.0 ± 9.2
Sandals	39.1 ± 26.4	74.3 ± 8.4	64.9 ± 9.8	78.5 ± 9.7	57.9 ± 10.1	85.5 ± 4.5
Shirt	70.2 ± 2.7	64.9 ± 8.9	75.1 ± 6.2	56.1 ± 5.6	72.8 ± 3.1	69.0 ± 2.4
Sneaker	58.1 ± 25.7	90.5 ± 9.1	59.1 ± 12.0	92.6 ± 2.1	69.2 ± 1.7	97.9 ± 0.7
Bag	70.2 ± 2.1	53.6 ± 7.4	72.4 ± 3.3	92.2 ± 9.1	71.7 ± 9.9	77.2 ± 15.4
Ankle-Boot	73.2 ± 9.2	81.9 ± 14.7	71.2 ± 8.5	62.0 ± 5.8	61.6 ± 10.6	91.7 ± 6.1
Avg	59.1 ± 11.4	74.2 ± 8.9	68.3 ± 9.2	69.8 ± 7.8	69.3 ± 9.1	83.9 ± 5.2

Table 1. Average AUC (with standard deviation) for **One-Shot** anomaly detection experiments on Paris, CIFAR10, FashionMNIST and MNIST datasets.

Class	PatchSVDD	DROCC	DeepSVDD	GEOM	GOAD	Ours
PARIS						
Defense	51.5 ± 3.3	69.3 ± 4.5	62.1 ± 3.3	59.4 ± 2.7	52.8 ± 5.1	67.8 ± 3.4
Eiffel	51.2 ± 4.3	66.8 ± 3.5	55.4 ± 2.8	44.1 ± 6.6	53.0 ± 3.0	67.0 ± 2.7
Invalides	45.2 ± 2.1	62.9 ± 6.4	66.6 ± 4.9	59.2 ± 2.0	52.2 ± 4.5	80.8 ± 2.5
Louvre	41.1 ± 2.0	66.6 ± 3.3	60.4 ± 4.3	53.3 ± 1.8	52.3 ± 2.7	72.5 ± 2.8
Moulinrouge	59.6 ± 3.1	44.1 ± 5.4	62.4 ± 5.1	49.0 ± 0.3	45.9 ± 7.3	84.5 ± 2.4
Museedorsay	53.9 ± 2.7	46.8 ± 9.6	88.0 ± 3.3	88.7 ± 3.2	43.0 ± 15.2	89.6 ± 1.8
Notredame	47.7 ± 2.8	48.7 ± 6.6	62.6 ± 3.5	58.4 ± 1.7	48.2 ± 5.7	79.7 ± 4.0
Pantheon	58.4 ± 5.2	49.2 ± 6.6	74.9 ± 2.5	60.7 ± 1.8	52.3 ± 2.3	86.1 ± 2.1
Pompidou	58.7 ± 3.4	45.7 ± 7.4	75.6 ± 3.4	70.0 ± 2.7	54.1 ± 5.8	90.3 ± 3.4
Sacrecoeur	46.9 ± 7.8	58.5 ± 5.1	62.5 ± 4.3	48.1 ± 0.8	54.8 ± 7.2	81.6 ± 2.7
Triomphe	55.5 ± 2.6	47.4 ± 4.4	64.2 ± 9.4	52.4 ± 1.7	51.1 ± 3.8	78.6 ± 4.8
Avg	51.8 ± 3.6	55.1 ± 5.7	66.8 ± 4.2	58.5 ± 2.3	50.9 ± 5.7	79.8 ± 3.0
CIFAR10						
Plane	40.8 ± 13.8	69.0 ± 4.8	35.8 ± 3.1	62.3 ± 9.0	59.5 ± 3.0	69.2 ± 2.8
Car	59.5 ± 4.5	39.6 ± 8.8	74.6 ± 5.3	65.5 ± 7.7	68.8 ± 10.1	77.0 ± 1.8
Bird	45.7 ± 6.0	60.9 ± 3.4	48.4 ± 5.2	52.4 ± 4.8	49.4 ± 3.4	58.4 ± 2.3
Cat	55.6 ± 3.2	56.5 ± 4.9	54.4 ± 10.7	54.0 ± 5.2	49.0 ± 7.0	58.7 ± 4.3
Deer	44.5 ± 5.3	57.9 ± 5.4	51.4 ± 5.8	63.6 ± 7.6	48.8 ± 5.5	66.4 ± 4.3
Dog	54.4 ± 3.0	59.4 ± 6.1	70.4 ± 6.1	55.5 ± 3.4	60.9 ± 11.5	61.8 ± 3.2
Frog	53.7 ± 5.6	50.2 ± 7.7	56.0 ± 5.7	58.5 ± 6.9	51.5 ± 2.7	72.6 ± 4.4
Horse	55.4 ± 3.2	43.6 ± 4.3	69.7 ± 5.9	64.2 ± 3.1	62.0 ± 4.9	68.6 ± 2.8
Ship	48.3 ± 10.3	67.5 ± 6.7	73.4 ± 4.4	75.5 ± 7.9	74.2 ± 3.6	80.2 ± 3.2
Truck	62.6 ± 2.2	35.9 ± 5.5	70.3 ± 4.7	67.5 ± 4.0	74.2 ± 1.7	62.1 ± 4.5
Avg	52.1 ± 5.7	54.1 ± 5.8	60.4 ± 5.7	59.5 ± 6.0	59.9 ± 5.3	67.5 ± 3.4
MNIST						
0	76.6 ± 2.5	70.7 ± 9.0	86.8 ± 3.2	71.3 ± 6.3	87.4 ± 8.0	79.5 ± 3.8
1	31.5 ± 9.9	80.6 ± 7.5	89.6 ± 5.3	96.2 ± 0.5	89.2 ± 6.8	85.5 ± 6.7
2	73.5 ± 5.2	56.4 ± 10.2	73.4 ± 5.2	78.0 ± 2.6	71.3 ± 7.3	81.6 ± 4.2
3	71.0 ± 5.5	63.4 ± 5.3	77.2 ± 10.7	85.5 ± 0.7	80.9 ± 4.6	96.6 ± 1.0
4	45.0 ± 5.8	69.6 ± 3.5	76.8 ± 5.8	66.4 ± 5.6	70.3 ± 5.2	84.7 ± 1.3
5	62.6 ± 3.0	69.1 ± 7.2	65.6 ± 6.1	79.0 ± 8.5	70.4 ± 12.8	89.3 ± 2.4
6	55.5 ± 4.3	73.9 ± 7.5	80.0 ± 5.7	76.1 ± 4.6	72.6 ± 3.9	92.4 ± 0.9
7	35.2 ± 8.3	80.4 ± 7.2	81.0 ± 5.9	80.3 ± 3.8	67.1 ± 5.7	82.0 ± 3.7
8	64.9 ± 6.5	64.4 ± 4.6	82.2 ± 4.4	70.7 ± 4.0	73.4 ± 5.1	79.4 ± 3.4
9	42.2 ± 6.4	76.7 ± 6.3	79.2 ± 4.7	65.7 ± 1.9	72.5 ± 3.9	87.5 ± 3.2
Avg	55.8 ± 5.7	70.5 ± 6.8	79.1 ± 5.7	76.9 ± 3.9	75.5 ± 6.3	85.9 ± 3.1
FashionMNIST						
T-shirt	52.8 ± 6.0	85.2 ± 3.1	89.6 ± 2.4	92.4 ± 2.7	79.8 ± 2.7	85.2 ± 1.7
Trouser	42.2 ± 10.7	94.2 ± 2.2	84.8 ± 7.1	74.7 ± 2.7	97.8 ± 0.5	98.4 ± 0.5
Pullover	64.7 ± 7.0	80.5 ± 3.3	72.3 ± 7.1	84.3 ± 3.6	86.4 ± 2.2	85.8 ± 3.5
Dress	41.7 ± 7.6	86.3 ± 4.4	77.8 ± 4.9	87.8 ± 1.0	85.1 ± 2.0	89.1 ± 2.4
Coat	62.8 ± 6.1	81.5 ± 3.9	76.8 ± 7.0	78.4 ± 2.0	83.8 ± 1.9	88.4 ± 1.5
Sandals	60.1 ± 8.5	78.1 ± 15.0	63.8 ± 8.0	83.7 ± 2.0	65.9 ± 7.6	88.6 ± 2.1
Shirt	54.8 ± 6.6	72.0 ± 3.5	81.5 ± 8.0	73.8 ± 3.7	68.0 ± 3.1	78.2 ± 1.7
Sneaker	53.0 ± 10.7	93.2 ± 1.6	81.6 ± 7.4	94.6 ± 1.9	94.4 ± 1.0	99.1 ± 0.3
Bag	53.4 ± 5.3	67.6 ± 8.7	80.1 ± 3.1	96.6 ± 1.4	77.5 ± 6.0	92.9 ± 4.1
Ankle-Boot	56.4 ± 9.1	90.0 ± 6.9	82.1 ± 5.4	83.7 ± 4.7	96.6 ± 1.5	96.5 ± 1.0
Avg	54.2 ± 7.8	82.9 ± 5.3	79.0 ± 6.0	85.0 ± 2.6	83.5 ± 2.9	90.2 ± 1.9

Table 2. Average AUC (with standard deviation) for **Five-Shot** anomaly detection experiments on Paris, CIFAR10, FashionMNIST and MNIST datasets.

Class	PatchSVDD	DROCC	DeepSVDD	GEOM	GOAD	Ours
PARIS						
Defense	54.2 ± 4.1	72.0 ± 4.5	62.7 ± 2.3	57.2 ± 1.6	49.5 ± 3.3	67.9 ± 3.2
Eiffel	48.1 ± 4.8	73.6 ± 3.3	59.4 ± 1.9	47.2 ± 5.6	50.0 ± 0.0	71.2 ± 3.7
Invalides	42.7 ± 2.8	68.0 ± 4.8	67.4 ± 2.0	63.4 ± 1.0	49.9 ± 0.0	84.9 ± 1.2
Louvre	39.4 ± 1.9	73.5 ± 4.3	60.6 ± 3.3	53.4 ± 1.8	49.2 ± 1.6	74.9 ± 2.5
Moulinrouge	59.4 ± 4.3	46.6 ± 2.5	63.6 ± 3.4	51.7 ± 0.8	48.8 ± 2.2	87.0 ± 3.1
Museedorsay	58.4 ± 4.0	52.3 ± 3.2	89.4 ± 2.0	86.0 ± 5.1	55.5 ± 6.9	90.7 ± 2.2
Notredame	52.0 ± 3.2	52.5 ± 4.6	65.8 ± 2.9	55.3 ± 1.0	49.9 ± 3.1	83.0 ± 2.9
Pantheon	54.5 ± 4.9	57.2 ± 6.4	75.7 ± 1.6	62.3 ± 0.8	50.3 ± 0.7	89.9 ± 2.1
Pompidou	59.9 ± 5.6	50.3 ± 4.6	77.6 ± 6.0	69.2 ± 0.8	50.2 ± 2.7	95.4 ± 1.3
Sacrecoeur	48.1 ± 2.4	66.6 ± 4.9	66.1 ± 3.4	47.1 ± 4.1	51.2 ± 3.1	84.5 ± 1.9
Triomphe	59.5 ± 4.0	51.7 ± 3.9	63.3 ± 10.3	53.4 ± 0.6	49.0 ± 1.1	79.8 ± 3.4
Avg	52.4 ± 3.8	60.4 ± 4.3	68.3 ± 3.5	58.8 ± 2.1	50.3 ± 2.5	82.6 ± 2.5
CIFAR10						
Plane	40.8 ± 9.4	71.9 ± 2.2	39.6 ± 6.3	66.7 ± 8.8	61.5 ± 2.4	69.1 ± 1.6
Car	59.9 ± 3.4	42.8 ± 8.2	64.0 ± 9.9	74.3 ± 2.7	68.7 ± 6.1	80.7 ± 2.9
Bird	44.8 ± 3.9	62.4 ± 4.4	42.4 ± 11.1	54.4 ± 6.7	51.3 ± 3.2	58.5 ± 2.5
Cat	53.8 ± 3.7	61.7 ± 4.3	54.3 ± 7.3	52.5 ± 5.7	50.4 ± 4.8	63.2 ± 2.8
Deer	50.1 ± 4.9	62.0 ± 3.2	50.0 ± 8.7	54.1 ± 5.8	52.1 ± 7.1	64.2 ± 2.2
Dog	53.3 ± 4.3	61.3 ± 3.9	81.6 ± 3.9	60.5 ± 5.1	57.1 ± 5.7	65.4 ± 5.6
Frog	50.4 ± 4.7	48.2 ± 4.6	58.0 ± 11.9	60.3 ± 6.8	55.3 ± 2.3	71.9 ± 3.3
Horse	53.9 ± 2.9	51.6 ± 3.1	76.8 ± 5.4	62.9 ± 4.5	61.7 ± 3.2	73.7 ± 2.8
Ship	46.0 ± 8.5	72.6 ± 3.4	71.6 ± 3.9	67.8 ± 8.7	71.3 ± 2.3	82.9 ± 0.8
Truck	52.6 ± 4.2	39.3 ± 3.5	73.4 ± 4.2	70.3 ± 4.0	75.2 ± 2.5	72.6 ± 2.9
Avg	50.5 ± 5.0	57.4 ± 4.1	61.1 ± 7.3	62.4 ± 5.9	60.5 ± 4.0	70.2 ± 2.7
MNIST						
0	75.0 ± 4.7	80.3 ± 8.0	91.6 ± 1.1	75.0 ± 1.0	72.6 ± 6.8	80.1 ± 4.6
1	59.3 ± 13.1	78.0 ± 12.5	89.0 ± 5.8	96.2 ± 0.4	90.9 ± 3.2	88.8 ± 3.1
2	58.6 ± 5.7	58.8 ± 13.7	73.0 ± 8.8	80.1 ± 2.4	68 ± 5.6	85.2 ± 4.3
3	62.0 ± 6.1	66.9 ± 7.6	82.4 ± 3.2	91.0 ± 0.5	73.2 ± 9.3	96.3 ± 0.9
4	53.7 ± 7.8	71.2 ± 9.8	85.6 ± 0.9	79.3 ± 1.1	69.1 ± 6.2	89.1 ± 1.6
5	59.8 ± 5.2	63.7 ± 8.2	72.4 ± 4.0	87.2 ± 0.6	62.1 ± 13.4	87.4 ± 3.3
6	53.9 ± 4.8	74.0 ± 14.3	88.2 ± 2.5	83.6 ± 2.8	73.9 ± 4.6	92.2 ± 1.6
7	50.4 ± 6.5	77.1 ± 10.8	80.0 ± 7.5	78.4 ± 0.7	63 ± 6.5	84.2 ± 4.2
8	61.5 ± 4.8	69.1 ± 4.8	81.0 ± 0.9	64.7 ± 4.0	77.8 ± 5.4	78.2 ± 2.3
9	50.6 ± 7.0	82.9 ± 6.5	82.6 ± 3.2	78.7 ± 4.8	67.5 ± 6.2	90.2 ± 1.4
Avg	58.5 ± 6.6	72.2 ± 9.6	82.6 ± 3.8	81.4 ± 1.8	71.8 ± 6.7	87.2 ± 2.7
FashionMNIST						
T-shirt	50.9 ± 5.5	86.8 ± 3.3	83.5 ± 2.1	97.5 ± 0.5	79.7 ± 3.0	86.5 ± 1.1
Trouser	52.9 ± 12.7	94.4 ± 4.0	63.6 ± 4.6	80.2 ± 0.75	97.5 ± 1.7	99.0 ± 0.2
Pullover	69.2 ± 5.8	81.2 ± 3.4	66.7 ± 2.8	90.1 ± 1.6	89.2 ± 1.0	86.5 ± 1.1
Dress	36.9 ± 8.5	88.1 ± 3.6	63.1 ± 0.8	91 ± 1.7	87.3 ± 1.5	91.7 ± 1.3
Coat	67.9 ± 7.6	84.7 ± 3.5	63.6 ± 4.6	88.5 ± 4.3	86.9 ± 0.9	88.9 ± 1.2
Sandals	54.1 ± 8.6	83.0 ± 12.4	64.9 ± 6.4	86.3 ± 1.0	72.5 ± 13.1	89.1 ± 1.6
Shirt	55.6 ± 7.8	74.8 ± 3.8	75.1 ± 3.9	79.5 ± 2.5	76.3 ± 2.0	78.5 ± 0.8
Sneaker	56.8 ± 7.8	93.3 ± 1.4	59.1 ± 3.9	97.8 ± 0.4	96.3 ± 1.2	99.0 ± 0.2
Bag	56.1 ± 8.1	73.8 ± 10.2	72.4 ± 4.6	98.4 ± 0.3	77.9 ± 2.5	94.5 ± 0.4
Ankle-Boot	60.3 ± 12.8	85.3 ± 3.7	71.2 ± 1.1	89.6 ± 0.7	97.5 ± 1.0	98.0 ± 0.6
Avg	56.1 ± 8.5	84.5 ± 4.9	68.3 ± 3.5	89.9 ± 1.4	86.1 ± 2.8	91.2 ± 0.9

Table 3. Average AUC (with standard deviation) for **Ten-Shot** anomaly detection experiments on Paris, CIFAR10, FashionMNIST and MNIST datasets.

Class	PatchSVDD	DROCC	DeepSVDD	GEOM	GOAD	Ours
CIFAR10 (50-Shot)						
Plane	36.7 ± 6.7	76.2 ± 2.6	57.3 ± 2.6	67.8 ± 2.9	55.6 ± 6.4	75.9 ± 5.9
Car	65.5 ± 3.6	44.7 ± 3.0	64.1 ± 1.6	82.4 ± 1.3	54.3 ± 7.9	86.2 ± 1.1
Bird	38.1 ± 2.1	66.3 ± 1.2	46.5 ± 2.2	60.3 ± 3.1	52.0 ± 2.1	57.3 ± 1.9
Cat	51.3 ± 3.9	61.4 ± 4.0	58.5 ± 2.2	59.6 ± 5.1	49.8 ± 0.6	60.5 ± 1.0
Deer	46.3 ± 4.2	58.6 ± 2.9	53.7 ± 3.1	57.4 ± 5.2	50.4 ± 0.9	64.5 ± 1.0
Dog	49.4 ± 3.4	63.3 ± 5.4	61.7 ± 2.3	68.6 ± 2.6	51.8 ± 3.8	74.7 ± 2.1
Frog	54.0 ± 5.6	45.8 ± 2.6	58.0 ± 2.7	64.8 ± 2.8	50.7 ± 1.0	73.2 ± 1.6
Horse	55.4 ± 3.1	47.4 ± 2.6	62.3 ± 3.2	72.4 ± 3.1	52.7 ± 5.4	74.5 ± 3.3
Ship	44.0 ± 2.4	74.7 ± 2.7	75.1 ± 1.1	81.4 ± 1.7	59.3 ± 12.1	85.6 ± 0.6
Truck	60.7 ± 4.7	37.4 ± 5.12	71.9 ± 1.9	81.1 ± 2.1	60.4 ± 11.0	76.8 ± 1.2
Avg	50.1 ± 4.0	57.6 ± 3.2	60.9 ± 2.3	69.6 ± 3.0	53.7 ± 5.1	72.9 ± 2.0
CIFAR10 (80-Shot)						
Plane	34.0 ± 4.5	79.0 ± 0.6	60.9 ± 2.1	69.9 ± 1.6	52.1 ± 4.3	74.8 ± 0.3
Car	63.8 ± 6.9	43.2 ± 2.1	60.1 ± 0.8	85.3 ± 0.8	59.2 ± 11.3	88.0 ± 1.5
Bird	40.0 ± 1.6	68.2 ± 0.3	44.6 ± 1.2	60.8 ± 2.4	50.7 ± 1.4	62.4 ± 1.2
Cat	54.9 ± 1.3	55.7 ± 4.0	58.7 ± 0.2	62.9 ± 1.3	53.8 ± 4.6	60.1 ± 1.4
Deer	50.0 ± 1.8	57.2 ± 3.4	56.3 ± 0.8	62.7 ± 0.3	50.1 ± 2.4	66.1 ± 0.5
Dog	48.2 ± 3.2	64.4 ± 1.9	60.9 ± 1.7	76.5 ± 1.2	52.5 ± 5.0	78.4 ± 1.1
Frog	57.0 ± 2.3	50.9 ± 6.9	58.5 ± 2.5	69.9 ± 4.0	51.5 ± 7.1	75.3 ± 5.4
Horse	56.7 ± 1.8	47.6 ± 2.1	60.9 ± 0.1	79.9 ± 0.4	52.1 ± 3.9	82.3 ± 0.2
Ship	44.0 ± 3.5	77.0 ± 2.1	74.8 ± 0.1	84.0 ± 1.2	70.4 ± 10.5	87.4 ± 0.8
Truck	61.2 ± 2.9	42.4 ± 1.1	72.1 ± 1.7	83.4 ± 0.3	69.7 ± 9.9	81.2 ± 0.6
Avg	51.0 ± 3.0	58.5 ± 2.5	60.8 ± 1.1	73.5 ± 1.4	56.2 ± 6.1	75.6 ± 1.3

Table 4. Average AUC (with standard deviation) for **50-shot** and **80-shot** anomaly detection experiments on CIFAR10.

Class	DifferNet	DROCC	PatchSVDD	DeepSVDD	GEOM	GOAD	Ours1	Ours2
MVTec (One-Shot)								
Bottle	98.2 ± 0.4	67.2 ± 6.6	60.9 ± 12.3	16.6 ± 5.3	79.0 ± 3.5	51.6 ± 14.0	76.3 ± 6.9	85.0 ± 3.7
Cable	76.6 ± 5.9	68.1 ± 4.3	58.8 ± 4.5	39.0 ± 3.5	64.2 ± 1.3	47.9 ± 2.4	72.3 ± 3.7	61.1 ± 7.8
Capsule	57.7 ± 4.6	50.2 ± 6.4	57.9 ± 12.1	44.8 ± 4.4	55.4 ± 2.6	51.2 ± 3.7	56.0 ± 8.4	62.6 ± 6.7
Carpet	61.5 ± 3.0	71.9 ± 10.6	45.5 ± 18.8	41.2 ± 18.2	55.0 ± 10.1	48.1 ± 1.9	72.7 ± 6.7	83.7 ± 8.7
Grid	59.2 ± 5.1	50.0 ± 4.6	37.2 ± 12.2	79.7 ± 8.6	40.1 ± 13.1	9.4 ± 6.8	73.2 ± 9.8	87.1 ± 5.0
Hazelnut	90.7 ± 2.7	66.4 ± 7.6	46.7 ± 16.1	29.1 ± 4.3	47.8 ± 3.6	47.6 ± 3.2	82.4 ± 8.7	66.5 ± 9.2
Leather	83.4 ± 1.9	79.1 ± 6.5	61.9 ± 15.6	48.0 ± 3.2	33.2 ± 0.5	58.1 ± 6.8	98.2 ± 0.9	97.6 ± 1.1
Metalnut	44.4 ± 8.0	51.9 ± 3.6	50.4 ± 13.1	42.6 ± 14.7	52.3 ± 4.2	7.2 ± 6.5	66.0 ± 11.0	60.3 ± 8.6
Pill	71.7 ± 4.4	72.5 ± 4.0	57.6 ± 8.1	33.5 ± 4.0	67.0 ± 2.3	62.5 ± 8.1	56.5 ± 9.6	66.5 ± 7.0
Screw	61.8 ± 7.7	57.7 ± 9.0	53.7 ± 18.2	70.1 ± 10.8	34.7 ± 11.1	6.3 ± 10.0	93.5 ± 6.2	92.8 ± 6.0
Tile	87.3 ± 2.6	65.6 ± 2.0	57.3 ± 4.7	40.7 ± 2.8	61.0 ± 2.8	6.0 ± 5.4	80.2 ± 8.2	84.4 ± 3.8
Toothbrush	52.1 ± 2.3	68.9 ± 4.5	63.7 ± 6.1	35.5 ± 1.5	65.7 ± 6.5	54.4 ± 5.4	67.3 ± 4.7	64.7 ± 11.1
Transistor	47.0 ± 6.5	59.9 ± 3.3	66.7 ± 14.5	32.8 ± 4.3	58.1 ± 1.5	61.7 ± 4.4	66.1 ± 7.7	62.7 ± 6.8
Wood	96.0 ± 2.2	70.6 ± 14.4	55.7 ± 18.4	44.0 ± 16.4	52.3 ± 1.1	41.8 ± 6.5	89.0 ± 4.2	85.5 ± 7.9
Zipper	52.7 ± 3.7	49.6 ± 7.5	69 ± 5.4	34.9 ± 2.8	58.3 ± 2.8	56.8 ± 4.0	67.8 ± 6.4	73.2 ± 7.7
Avg	69.4 ± 4.1	63.3 ± 6.3	56.2 ± 12.0	42.1 ± 7.0	54.9 ± 4.5	44.0 ± 5.9	74.5 ± 6.9	75.6 ± 6.7
MVTec (Five-Shot)								
Bottle	98.4 ± 0.2	68.1 ± 2.6	61.1 ± 12.4	15.7 ± 2.8	80.0 ± 1.2	51.7 ± 10.4	74.1 ± 7.8	90.8 ± 3.7
Cable	81.3 ± 2.0	68.7 ± 2.7	49 ± 3.9	32.8 ± 4.9	61.1 ± 3.1	46.3 ± 4.4	75.2 ± 4.8	76.1 ± 4.0
Capsule	59.0 ± 2.2	53.2 ± 5.1	55.1 ± 3.4	45.3 ± 4.7	60.0 ± 2.3	47.7 ± 5.9	52.6 ± 6.5	64.9 ± 5.6
Carpet	62.0 ± 2.2	71.6 ± 10.9	46.5 ± 4.1	47.7 ± 10.5	42.2 ± 6.7	44.2 ± 6.9	73.3 ± 7.6	65.2 ± 6.4
Grid	56.7 ± 3.9	37.3 ± 9.7	41.7 ± 22.1	76.0 ± 11.1	36.8 ± 7.2	21.3 ± 16.4	76.0 ± 4.9	82.4 ± 9.7
Hazelnut	93.8 ± 1.0	70.0 ± 10.9	58.6 ± 17.4	27.7 ± 4.6	31.7 ± 8.2	52.5 ± 3.5	76.8 ± 8.3	84.5 ± 8.8
Leather	83.7 ± 0.8	70.4 ± 7.1	61.6 ± 15.4	43.0 ± 2.0	33.3 ± 0.2	53.2 ± 10.3	99.0 ± 0.3	98.2 ± 0.9
Metalnut	47.2 ± 3.2	59.7 ± 6.2	48.8 ± 9.1	52.9 ± 6.6	36.8 ± 4.3	59.4 ± 5.6	69.4 ± 11.4	76.4 ± 6.5
Pill	79.4 ± 4.4	74.4 ± 3.5	57.5 ± 10.6	34.4 ± 3.5	59.1 ± 3.1	61.5 ± 11.0	51.2 ± 6.8	63.6 ± 4.1
Screw	73.7 ± 5.1	58.3 ± 2.3	43.4 ± 15.1	69.5 ± 3.8	18.5 ± 5.1	9.3 ± 13.6	97.7 ± 3.2	74.8 ± 1.3
Tile	91.1 ± 1.4	65.7 ± 3.1	49.5 ± 3.0	32.4 ± 3.2	56.9 ± 11.1	58.6 ± 3.9	89.0 ± 4.5	81.0 ± 4.4
Toothbrush	57.3 ± 3.6	67.6 ± 3.6	68.3 ± 11.8	34.9 ± 6.7	72.2 ± 2.1	45.3 ± 4.5	72.7 ± 8.1	64.2 ± 7.3
Transistor	55.7 ± 3.9	67.2 ± 4.1	55.3 ± 9.9	30.4 ± 2.6	59.4 ± 2.9	62.8 ± 4.0	78.2 ± 4.2	76.2 ± 3.9
Wood	96.4 ± 1.9	77.7 ± 11.9	69.4 ± 14.6	11.0 ± 7.3	66.0 ± 9.8	37.4 ± 9.8	84.5 ± 3.6	96.2 ± 1.8
Zipper	46.1 ± 3.7	45.2 ± 6.1	63.9 ± 6.5	34.4 ± 4.6	59.2 ± 6.2	54.1 ± 8.	61.8 ± 7.2	73.3 ± 10.7
Avg	72.1 ± 2.6	63.7 ± 6.0	55.3 ± 10.6	39.2 ± 5.3	51.5 ± 4.9	47.0 ± 7.9	75.4 ± 5.9	77.9 ± 5.3
MVTec (Ten-Shot)								
Bottle	98.2 ± 0.4	67.7 ± 5.1	65.3 ± 9.6	17.6 ± 3.0	80.1 ± 2.5	86.9 ± 4.5	81.9 ± 6.1	90.5 ± 3.1
Cable	82.3 ± 1.5	69.4 ± 3.0	51.1 ± 7.7	32.6 ± 2.5	64.4 ± 0.8	46.0 ± 9.9	73.9 ± 4.2	77.6 ± 3.9
Capsule	58.0 ± 2.1	51.8 ± 6.3	64.4 ± 11.1	44.7 ± 2.9	65.9 ± 0.8	47.3 ± 2.0	55.8 ± 7.7	59.3 ± 8.4
Carpet	61.8 ± 1.5	75.1 ± 16.4	49.4 ± 7.4	40.0 ± 11.6	41.4 ± 7.0	50.9 ± 8.5	66.9 ± 9.6	63.9 ± 6.8
Grid	58.5 ± 2.1	37.5 ± 17.1	49.8 ± 11.1	67.1 ± 10.6	10.3 ± 6.7	54.0 ± 7.1	71.0 ± 8.6	79.0 ± 5.9
Hazelnut	93.2 ± 1.3	72.7 ± 11.9	37.9 ± 12.0	30.5 ± 5.2	45.1 ± 1.6	49.6 ± 2.7	72.1 ± 8.2	79.3 ± 11.3
Leather	83.4 ± 0.9	79.1 ± 13.8	49.3 ± 15.9	43.5 ± 2.8	32.7 ± 0.8	61.2 ± 5.2	99.1 ± 0.2	98.5 ± 0.5
Metalnut	53.4 ± 7.4	59.1 ± 6.6	62.3 ± 12.5	52.4 ± 3.9	49.3 ± 1.4	58.6 ± 6.7	60.4 ± 11.8	74.0 ± 8.4
Pill	81.8 ± 3.5	77.6 ± 3.6	65.2 ± 8.4	39.1 ± 3.9	56.1 ± 1.2	64.1 ± 3.0	57.4 ± 10.4	66.5 ± 7.0
Screw	78.3 ± 4.3	84.2 ± 19.8	28.8 ± 21.3	65.2 ± 4.3	8.5 ± 6.3	66.7 ± 0.8	93.9 ± 8.4	75.7 ± 19.0
Tile	91.3 ± 1.2	64.8 ± 4.2	49.0 ± 3.1	26.0 ± 5.0	62.0 ± 0.3	54.3 ± 3.5	87.6 ± 5.5	81.4 ± 6.9
Toothbrush	57.5 ± 4.0	67.9 ± 3.3	67.3 ± 9.6	38.2 ± 7.6	71.5 ± 0.4	51.3 ± 8.6	78.9 ± 8.5	69.5 ± 7.7
Transistor	54.6 ± 3.7	72.5 ± 3.6	60.3 ± 6.2	24.6 ± 4.5	58.9 ± 3.1	56.0 ± 8.4	74.9 ± 3.7	79.2 ± 4.7
Wood	96.2 ± 1.9	84.0 ± 8.2	47.9 ± 12.3	18.3 ± 11.6	67.7 ± 5.5	37.4 ± 5.9	85.0 ± 5.9	95.8 ± 1.1
Zipper	55.2 ± 6.1	50.0 ± 6.7	66.7 ± 4.8	36.1 ± 4.5	60.9 ± 2.2	53.1 ± 12.3	72.8 ± 6.5	80.4 ± 5.9
Avg	73.6 ± 2.8	67.6 ± 8.6	54.3 ± 10.2	38.4 ± 5.6	51.6 ± 2.7	55.8 ± 5.9	75.4 ± 7.0	78.0 ± 6.7

Table 5. Average AUC (with standard deviation) for **One-Shot**, **Five-Shot** and **Ten-Shot** defect detection experiments on MVTec dataset. **Ours1** refers to our method where the standard set of transformations are used, as for anomaly detection. For a fair comparison with DifferNet, we also consider **Ours2**, where only the four rotation are used, as in DifferNet. In the one-shot case, we report the results of using 5% of the patches, while in five-shot and ten-shot case we report the results of using 10% of the patches. The full results of using different percentage of patches are given in Tab. 7

Class	Ours	(a)	(b)	(c)	(d)	(e)	(f)	(g)
CIFAR10 (One-Shot Ablation)								
Plane	67.2 ± 5.8	58.9 ± 12.5	65.2 ± 10.6	65.2 ± 5.6	59.9 ± 9.9	60.1 ± 5.9	27.0 ± 0.4	38.2 ± 3.9
Car	65.6 ± 5.9	61.6 ± 7.8	65.5 ± 3.5	58.3 ± 3.6	55.0 ± 8.6	63.6 ± 5.8	59.1 ± 1.4	57.6 ± 4.2
Bird	55.9 ± 5.7	52.6 ± 6.3	56.0 ± 4.2	54.2 ± 3.2	52.9 ± 5.9	48.9 ± 6.8	44.7 ± 1.3	46.3 ± 2.1
Cat	58.9 ± 6.2	53.8 ± 8.0	55.7 ± 3.2	56.8 ± 3.6	48.2 ± 6.6	54.3 ± 5.4	54.9 ± 1.0	66.4 ± 3.1
Deer	67.2 ± 4.5	61.9 ± 6.8	55.7 ± 8.9	56.5 ± 10.1	67.8 ± 2.6	53.6 ± 8.1	51.4 ± 2.8	67.3 ± 5.5
Dog	63.7 ± 7.7	61.0 ± 7.8	53.0 ± 4.1	60.0 ± 3.4	55.8 ± 7.8	57.5 ± 7.6	50.0 ± 2.8	65.9 ± 5.1
Frog	70.2 ± 5.1	65.1 ± 9.9	56.4 ± 8.1	62.5 ± 4.2	62.3 ± 9.6	57.5 ± 8.1	58.0 ± 2.1	68.2 ± 4.2
Horse	63.8 ± 5.2	61.8 ± 7.8	53.7 ± 4.1	59.4 ± 3.5	54.6 ± 7.6	59.7 ± 7.8	51.8 ± 0.5	39.8 ± 3.4
Ship	71.3 ± 7.2	70.4 ± 9.5	65.1 ± 10.2	62.6 ± 7.5	69.5 ± 9.4	58.1 ± 8.5	33.9 ± 2.3	65.1 ± 3.5
Truck	65.3 ± 5.2	60.3 ± 8.8	64.8 ± 4.1	61.2 ± 7.2	50.0 ± 6.2	59.1 ± 4.8	46.5 ± 3.3	74.1 ± 3.7
Avg	64.9 ± 5.9	60.7 ± 8.5	59.1 ± 6.1	59.7 ± 5.2	57.6 ± 7.4	57.3 ± 6.9	47.7 ± 1.8	58.8 ± 3.9
CIFAR10 (Five-Shot Ablation)								
Plane	69.2 ± 2.8	68.1 ± 2.7	65.1 ± 8.4	61.4 ± 3.9	57.8 ± 7.8	65.9 ± 3.9	25.9 ± 0.3	50.7 ± 3.1
Car	77.0 ± 1.8	75.2 ± 4.6	59.2 ± 8.6	70.2 ± 2.7	56.7 ± 4.9	70.6 ± 5.1	60.0 ± 1.0	73.1 ± 2.7
Bird	58.4 ± 2.3	52.7 ± 2.2	58.4 ± 3.3	56.2 ± 2.4	58.9 ± 6.5	51.5 ± 5.1	45.2 ± 0.6	50.4 ± 2.0
Cat	58.7 ± 4.3	55.1 ± 4.9	53.7 ± 3.2	58.2 ± 4.2	50.4 ± 7.6	53.8 ± 5.9	55.7 ± 1.0	56.3 ± 2.5
Deer	66.4 ± 4.3	63.1 ± 4.2	66.2 ± 5.5	61.3 ± 4.9	64.9 ± 4.9	60.2 ± 3.5	50.9 ± 0.7	59.4 ± 5.0
Dog	61.8 ± 3.2	57.4 ± 9.6	53.5 ± 2.9	61.2 ± 3.9	50.5 ± 8.3	64.1 ± 3.3	51.4 ± 1.5	60.9 ± 4.0
Frog	72.6 ± 4.4	66.1 ± 4.7	67.1 ± 8.3	66.3 ± 6.8	65.4 ± 0.3	64.1 ± 2.5	57.7 ± 0.8	69.1 ± 4.1
Horse	68.6 ± 2.8	67.6 ± 5.9	55.3 ± 3.0	63.3 ± 2.6	55.5 ± 11.4	66.9 ± 5.7	51.8 ± 0.4	66.9 ± 3.0
Ship	80.2 ± 3.2	76.2 ± 5.2	66.2 ± 6.2	67.5 ± 6.0	65.3 ± 6.8	72.2 ± 5.5	34.1 ± 1.2	76.4 ± 3.2
Truck	62.1 ± 3.4	67.8 ± 3.8	55.3 ± 7.2	66.5 ± 3.7	53.0 ± 3.2	68.7 ± 5.9	47.4 ± 1.5	74.3 ± 3.1
Avg	67.5 ± 3.4	64.9 ± 4.8	60.0 ± 5.7	63.4 ± 4.1	57.8 ± 6.2	63.8 ± 4.6	48.0 ± 0.9	63.7 ± 3.3

Table 6. **Ablation analysis** for **One-Shot** and **Five-Shot** anomaly detection, as described in the main text, Sec. 4.3, Tab. 1. Our method relies on three components: (1) a generative model, (2) its hierarchical multi-scale nature, and (3) a transformation-discriminating component. We assess the contribution of these components separately. The columns of the table represent different variants: (a) no generative component, (b) transformations not applied discriminatively, (c) as for (b), but where augmentations are applied before passing real and generated images to the discriminator. (d) a single scale of the hierarchy where small patches are considered (image size set to 100×100), (e) a single scale of the hierarchy where large patches are considered (image size set to 20×20), (f) no component is used and the anomaly score is the MSE between the test image and the training image (average for each training image for five-shot). Finally, the last variant (g) trains a GEOM model on 6,000 images sampled from our generative model that is trained on a one/five sample.

Fraction (%)	1	5	10	20	50	100
MVTec (One-Shot)						
Bottle	75.4 ± 12.6	85.0 ± 3.7	76.5 ± 9.0	82.5 ± 9.0	81.6 ± 6.3	67.0 ± 9.4
Cable	57.4 ± 9.3	61.1 ± 7.8	67.8 ± 3.6	59.7 ± 11.9	62.0 ± 10.7	54.0 ± 10.6
Capsule	59.2 ± 11.4	62.6 ± 6.7	59.7 ± 6.2	61.9 ± 6.4	57.5 ± 6.0	58.4 ± 7.9
Carpet	81.4 ± 7.7	83.7 ± 8.7	81.6 ± 9.2	84.4 ± 4.9	80.2 ± 10.4	69.8 ± 8.2
Grid	91.3 ± 4.8	87.1 ± 5.0	83.3 ± 7.1	82.6 ± 5.2	71.7 ± 7.9	58.7 ± 8.4
Hazelnut	67.0 ± 10.1	66.5 ± 9.2	69.3 ± 10.0	67.4 ± 8.4	61.6 ± 13.9	65.2 ± 10.1
Leather	98.0 ± 1.1	97.6 ± 1.1	96.7 ± 1.8	95.4 ± 2.8	93.7 ± 4.2	81.7 ± 11.6
Metal-nut	69.4 ± 14.0	60.3 ± 8.6	65.8 ± 9.9	64.9 ± 10.4	61.9 ± 13.6	67.0 ± 9.8
Pill	66.8 ± 5.9	66.5 ± 7.0	66.1 ± 6.9	64.3 ± 6.3	64.7 ± 8.2	59.0 ± 7.4
Screw	92.9 ± 6.4	92.8 ± 6.0	89.1 ± 6.9	89.9 ± 7.0	87.7 ± 6.9	61.8 ± 6.9
Tile	85.1 ± 3.0	84.4 ± 3.8	83.0 ± 8.9	84.2 ± 4.1	79.1 ± 5.4	57.7 ± 4.4
Toothbrush	61.9 ± 11.5	64.7 ± 11.1	57.5 ± 5.9	58.4 ± 6.6	59.1 ± 6.4	56.9 ± 7.4
Transistor	60.3 ± 7.3	62.7 ± 6.8	67.8 ± 5.8	63.9 ± 8.4	64.3 ± 8.4	66.8 ± 10.2
Wood	82.0 ± 11.7	85.5 ± 7.9	81.7 ± 9.9	82.9 ± 9.9	81.2 ± 11.4	71.7 ± 11.1
Zipper	78.3 ± 8.7	73.2 ± 7.7	71.4 ± 9.7	72.5 ± 6.3	72.7 ± 4.9	63.6 ± 14.9
Avg	75.1 ± 8.4	75.6 ± 6.7	74.5 ± 7.4	74.3 ± 7.2	71.9 ± 8.3	63.9 ± 9.2
MVTec (Five-Shot)						
Bottle	87.1 ± 6.5	90.2 ± 6.7	90.8 ± 3.7	88.3 ± 5.9	86.3 ± 9.6	84.4 ± 5.0
Cable	71.6 ± 3.4	74.0 ± 3.4	76.1 ± 4.0	74.5 ± 4.1	74.7 ± 4.5	74.3 ± 4.5
Capsule	56.0 ± 6.1	60.2 ± 8.5	64.9 ± 5.6	57.0 ± 7.7	50.2 ± 6.8	51.1 ± 5.5
Carpet	76.3 ± 9.1	72.9 ± 8.0	65.2 ± 6.4	59.7 ± 11.4	62.6 ± 10.9	46.6 ± 6.8
Grid	90.3 ± 4.5	86.8 ± 4.7	82.4 ± 9.7	78.1 ± 7.9	68.2 ± 3.9	51.8 ± 6.2
Hazelnut	83.6 ± 4.2	82.2 ± 8.0	84.5 ± 8.8	76.7 ± 8.8	78.6 ± 7.7	70.4 ± 10.8
Leather	98.8 ± 0.9	98.6 ± 0.7	98.2 ± 0.9	96.9 ± 1.3	95.4 ± 2.2	76.6 ± 8.4
Metal-nut	70.1 ± 8.7	72.1 ± 7.7	76.4 ± 6.5	70.0 ± 7.2	75.3 ± 8.0	80.5 ± 5.3
Pill	66.4 ± 6.3	64.3 ± 7.5	63.6 ± 4.1	63.1 ± 8.6	60.6 ± 6.4	60.0 ± 4.3
Screw	77.4 ± 8.3	76.4 ± 6.7	74.8 ± 1.3	64.1 ± 11.5	56.5 ± 13.1	43.1 ± 5.9
Tile	81.9 ± 6.3	80.4 ± 6.0	81.0 ± 4.4	75.4 ± 9.7	73.6 ± 9.4	50.2 ± 4.9
Toothbrush	61.2 ± 6.2	62.2 ± 8.9	64.2 ± 7.3	60.9 ± 10.5	60.9 ± 7.7	62.2 ± 4.6
Transistor	74.8 ± 4.5	74.4 ± 6.4	76.2 ± 3.9	76.4 ± 6.6	80.2 ± 8.0	78.7 ± 5.1
Wood	95.7 ± 1.9	96.4 ± 2.1	96.2 ± 1.8	94.7 ± 3.0	93.0 ± 4.9	93.5 ± 6.5
Zipper	79.2 ± 8.1	74.8 ± 8.8	73.3 ± 10.7	75.0 ± 7.9	74.8 ± 6.6	78.6 ± 6.7
Avg	78.0 ± 5.7	77.7 ± 6.3	77.9 ± 5.3	74.0 ± 7.5	72.7 ± 7.3	66.8 ± 6.0
MVTec (Ten-Shot)						
Bottle	92.4 ± 3.3	92.7 ± 2.6	90.5 ± 3.1	90.7 ± 4.7	90.2 ± 2.4	85.9 ± 3.8
Cable	75.2 ± 5.2	76.9 ± 4.1	77.6 ± 3.9	75.6 ± 4.5	74.8 ± 4.1	74.7 ± 3.5
Capsule	57.9 ± 7.5	60.1 ± 8.7	59.3 ± 8.4	52.1 ± 6.6	58.5 ± 6.6	51.9 ± 6.6
Carpet	64.4 ± 7.0	60.7 ± 4.1	63.9 ± 6.8	52.6 ± 5.8	52.9 ± 1.8	44.9 ± 1.1
Grid	88.1 ± 7.1	83.7 ± 5.3	79.0 ± 5.9	73.9 ± 7.7	65.8 ± 6.4	52.6 ± 4.5
Hazelnut	80.7 ± 6.3	82.9 ± 6.7	79.3 ± 11.3	80.3 ± 6.5	74.5 ± 10.6	68.5 ± 11.1
Leather	99.2 ± 0.7	99.1 ± 0.6	98.5 ± 0.5	97.7 ± 1.2	95.6 ± 1.8	76.1 ± 8.5
Metal-nut	75.3 ± 7.6	75.4 ± 8.5	74.0 ± 8.4	74.9 ± 7.7	75.9 ± 7.6	82.5 ± 2.6
Pill	64.8 ± 6.2	65.1 ± 5.7	66.5 ± 7.0	60.5 ± 7.2	56.3 ± 7.9	59.5 ± 4.5
Screw	72.4 ± 7.7	71.7 ± 9.2	75.7 ± 19.0	67.8 ± 15.5	65.9 ± 15.9	41.5 ± 3.2
Tile	83.1 ± 4.6	81.7 ± 3.9	81.4 ± 6.9	78.7 ± 2.7	70.4 ± 6.4	51.7 ± 4.9
Toothbrush	61.5 ± 6.0	63.2 ± 3.6	69.5 ± 7.7	59.6 ± 3.3	60.7 ± 3.9	64.1 ± 4.9
Transistor	74.9 ± 2.0	74.8 ± 3.7	79.2 ± 4.7	74.7 ± 5.6	80.3 ± 5.2	82.9 ± 5.3
Wood	94.5 ± 0.6	95.0 ± 1.2	95.8 ± 1.1	94.8 ± 1.8	95.3 ± 1.1	95.7 ± 1.4
Zipper	85.6 ± 4.9	81.3 ± 6.6	80.4 ± 5.9	77.3 ± 6.9	77.3 ± 5.8	79.6 ± 4.7
Avg	78.0 ± 5.1	77.6 ± 5.0	78.0 ± 6.7	74.1 ± 5.8	73.0 ± 5.8	67.5 ± 4.7

Table 7. Effect of using a different **percentage of patches** for defect detection in the **One-Shot**, **Five-Shot** and **Ten-Shot** settings, as described in the main text, Sec. 4.3, Fig. 7.